



UTENSILI PER PROFESSIONISTI DAL 1913

SCHEDA TECNICA

Calzature di sicurezza serie ALLROAD

**Mod. MOTEGI Cat. ESD S3 HRO
Art. M 1998/9**

P.P.E. CAT.2: **EN ISO 20345:2022**

MADE IN: CHINA

SIZE: 38/48 (5/13)

MONDOPOINT: 11

PICTURES

DESCRIPTION

OKAYAMA ESD S3S SR FO HRO
07529tgNRNR



High cut safety shoes compliant with the new EN ISO 20345:2022, made of water repellent microfiber and nylon collar.
Phylon midsole with crossgrip HRO FO rubber tread.
Light, precious and durable, they are suitable for both outdoor and indoor use.

FEATURES

UPPER:
water repellent microfiber and nylon, with reinforcements on toe and heel.

LINING:
breathable micro-perforated 3D fabric.

REMOVABLE INSOLE:
antistatic in PU with ergonomic thermoforming.

ANTI-PERFORATION INSOLE:
made from zero-perforation ultralight textile fiber (PS - nail Ø 3.0 mm).

TOE CAP:
in non-magnetic composite, insulating, resistant to 200J.

SOLE:
phylon + HRO FO nitrile rubber with energy absorption on the heel.

PLUS:
Light and durable

MOTEGI ESD S3S SR FO HRO
07529tgNRGF



DETAILS

OUTSOLE

REMOVABLE INSOLE



LOGOS and DECORATIONS
made in screen printing



Microfibre **ANTI-ABRASION REINFORCEMENTS**
on toe and heel.





Ultralight sole with PHYLON midsole and CROSSGRIP rubber tread with lugs that guarantee a strong grip even on particularly uneven surfaces.



REMOVABLE INSOLE
antistatic in PU with ergonomic thermoforming.

USER MANUAL



MULTILINGUE USER MANUAL: (IT, EN, ES, DE, FR, BG, CS, ET, GR, HR, HU, LT, LV, NL, PL, PT, RO, SK, SL, SV)
Dimension: 120 x 165 mm


LABELLING



TEAMWORK TAPE
sewn on the tongue (15x60 mm).
Printed **ESD LABEL** on lace hooks.
Reinforced **EYELETS**



COMPOSITION LABEL
applied to the right shoe
Size 28 x 28mm



"CE" LABEL
inside the tongue
Size 50 x 15mm



SIZE LABEL
sewn between upper and tongue
Size 17 x 14mm

PACKAGING



Cardboard **SPARCO TEAMWORK SHOE-BOX**.
Protective inner tissue paper.
Size: 343x258x123 mm



SHOE-BOX LABEL reporting product's features, certification,
batch number, code, QR-code and Barcode.
Size: 105x60 mm